


VISUAL CORE DESCRIPTION

1 of 3

LOCATOR				SAMPLE NO.		SEC.
G	9	7	-	P	C	-
6				2	9	1
						4
						2
STATION#				OBSERVER		
				GTE		



0-40 dark yellowish brown
 10YR 4/2 clay
 structure less
 soupy - unconsolidated
 abundant forams

gradational contact
 40-205

light olive gray clay 5Y 5/2
 moderately burrowed - filled w/ darker
 gray clay - randomly oriented
 burrows range in size from 2 mm to 3 cm.
 generally oval shaped and average 1.5 cm.

79 end of section I


Forams common to abundant
 (forams decrease w/ depth)

burrows

white shells

VISUAL CORE DESCRIPTION

LOCATOR				SAMPLE NO.		SEC.
G	9	7	-	PC	-	29344
STATION#					OBSERVER	
					Gita	



154 end of section 2

(see notes for section 2)

burrows

gradational contact
 brownish gray clay SYR 4/1
 subtle mottled appearance + 3 burrows filled
 w/ light olive gray clay

220-370
 olive gray clay SYR 4/1
 moderately burrowed - filled w/ darker gray
 clay - 1/2 cm to 3 cm

dark yellowish brown 10YR 4/2 clay clast
 4 1/2 cm x 5 cm


244-247 lighter olive gray layer
 247-sharp contact

distinct burrows - well formed filled w/
 darker gray clay

11/55

VISUAL CORE DESCRIPTION

LOCATOR				SAMPLE NO.		SEC.	
G	9	7	-	6	PC	-	29
STATION#						OBSERVER	
						Gita	



end of section 4 (306)
 Same color as above
 (olive gray clay 5Y 4/1)
 but less distinct burrows Burrowing is evident
 shapes are less defined

brown streaks at
 328, 338 (2 cm. wide)
 indistinct burrow - general mottled
 appearance

gradational contact

382 end of section 5

370-424
 smooth homogeneous olive
 gray 5Y 4/1 clay -
 no burrows visible

424 end of section 6

Foram pocket